



SAFEWAY











Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

6072C

- MODEL
- 40007230 MV-6072C-300
 - 40007240 MV-6072C-400
 - 40007250 MV-6072C-500
 - 40007260 MV-6072C-600
 - 40007270 MV-6072C-700

- MODEL
- 40107230 MV-6072CS-300
 - 40107240 MV-6072CS-400
 - 40107250 MV-6072CS-500
 - 40107260 MV-6072CS-600
 - 40107270 MV-6072CS-700



標準附件

1. 虎鉗滑座×4-8座 (MV-6072C)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔 (ST-05) (M5×6L×4-8支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7只)

Standard accessories

1. Yes Vise×4-8 pcs (MV-6072C)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
6. Stopper (ST-05)(M5×6L×4-8 pcs)

Optional accessories

1. Socket cap screw (M16×80L×3-7 pcs)
2. T-Nut (M16×3-7 pcs)

Unit: mm

Order No.	Model	A	B	C	D	E	F	H	J	K	L	M(Optional)	N(Standard)	MV-6072C	N.W.	Remark
40007230	MV-6072C-300	300	72	50	100	113	18	131	0-25	60	72	M16×80L×3	M16×50L×4	4 Pcs	20	
40007240	MV-6072C-400	400	72	50	100	113	18	131	0-25	60	72	M16×80L×4	M16×50L×4	5 Pcs	25.5	
40007250	MV-6072C-500	500	72	50	100	113	18	131	0-25	60	72	M16×80L×5	M16×50L×4	6 Pcs	31	
40007260	MV-6072C-600	600	72	50	100	113	18	131	0-25	60	72	M16×80L×6	M16×50L×4	7 Pcs	36.2	
40007270	MV-6072C-700	700	72	50	100	113	18	131	0-25	60	72	M16×80L×7	M16×50L×4	8 Pcs	41.5	
40107230	MV-6072CS-300	300	72	50	100	113	18	131	0-50	60	72	M16×80L×3	M16×50L×4	4 Pcs	17.2	
40107240	MV-6072CS-400	400	72	50	100	113	18	131	0-50	60	72	M16×80L×4	M16×50L×4	5 Pcs	22.4	
40107250	MV-6072CS-500	500	72	50	100	113	18	131	0-50	60	72	M16×80L×5	M16×50L×4	6 Pcs	27.7	
40107260	MV-6072CS-600	600	72	50	100	113	18	131	0-50	60	72	M16×80L×6	M16×50L×4	7 Pcs	32.7	
40107270	MV-6072CS-700	700	72	50	100	113	18	131	0-50	60	72	M16×80L×7	M16×50L×4	8 Pcs	38.0	



SAFEWAY











Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

7272C

MODEL ● 40207230 MV-7272C-300
 ● 40207240 MV-7272C-400
 ● 40207250 MV-7272C-500
 ● 40207260 MV-7272C-600
 ● 40207270 MV-7272C-700

MODEL ● 40307230 MV-7272CS-300
 ● 40307240 MV-7272CS-400
 ● 40307250 MV-7272CS-500
 ● 40307260 MV-7272CS-600
 ● 40307270 MV-7272CS-700



標準附件

1. 虎鉗滑座×3-8座 (MV-7272C)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔 (ST-05) (M5×6L×3-8支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7)

Standard accessories

1. Yes Vise×3-8 pcs (MV-7272C)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
6. Stopper (ST-05) (M5×6L×3-8 pcs)

Optional accessories

1. Socket cap screw (M16×80L×3-7 pcs)
2. T-Nut (M16×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M(Optional)	N(Standard)	MV-7272C	N.W.	REMARK
40207230	MV-7272C-300	300	72	50	100	113	18	131	0-25	72	72	M16×80L×3	M16×50L×4	3 Pcs	18.5	
40207240	MV-7272C-400	400	72	50	100	113	18	131	0-25	72	72	M16×80L×4	M16×50L×4	4 Pcs	25	
40207250	MV-7272C-500	500	72	50	100	113	18	131	0-25	72	72	M16×80L×5	M16×50L×4	6 Pcs	32.5	
40207260	MV-7272C-600	600	72	50	100	113	18	131	0-25	72	72	M16×80L×6	M16×50L×4	7 Pcs	38	
40207270	MV-7272C-700	700	72	50	100	113	18	131	0-25	72	72	M16×80L×7	M16×50L×4	8 Pcs	44	
40307230	MV-7272CS-300	300	72	50	100	113	18	131	0-50	72	72	M16×80L×3	M16×50L×4	3 Pcs	16.6	
40307240	MV-7272CS-400	400	72	50	100	113	18	131	0-50	72	72	M16×80L×4	M16×50L×4	4 Pcs	22.2	
40307250	MV-7272CS-500	500	72	50	100	113	18	131	0-50	72	72	M16×80L×5	M16×50L×4	6 Pcs	29.8	
40307260	MV-7272CS-600	600	72	50	100	113	18	131	0-50	72	72	M16×80L×6	M16×50L×4	7 Pcs	35.2	
40307270	MV-7272CS-700	700	72	50	100	113	18	131	0-50	72	72	M16×80L×7	M16×50L×4	8 Pcs	40.8	



SAFEWAY






Yes vise

7272P


彈性化並列式虎鉗 FLEXIBLE YES VISE

MODEL ● 40407230 MV-7272P-300
● 40407240 MV-7272P-400
● 40407250 MV-7272P-500
● 40407260 MV-7272P-600
● 40407270 MV-7272P-700

MODEL ● 40507230 MV-7272PS-300
● 40507240 MV-7272PS-400
● 40507250 MV-7272PS-500
● 40507260 MV-7272PS-600
● 40507270 MV-7272PS-700



MV-7272PS



標準附件

- 1.虎鉗滑座×3-8座 (MV-7272P)
- 2.把手 6mm×1支 (HA-6)
- 3.導正鍵18mm×2只 (M6×10L×2支)
- 4.壓塊×4只 (M16×50L×4支)
- 5.手輪 (HA-50)
- 6.停止檔(ST-05) (M5×6L×3-8支)

特殊附件


- 1.固定螺絲 (M16×80L×3-7支)
- 2.T型螺帽 (M16×3-7只)

Standard accessories




- 1.Yes Vise×3-8 pcs (MV-7272P)
- 2.Handle×1 pc (HA-6)
- 3.Guide Key×18mm×2 pcs (M6×10L×2 pcs)
- 4.Vise locked block×4 pcs (M16×50L×4 pcs)
- 5.Wheel handle×1 pc (HA-50)
- 6.Stopper (ST-05)(M5×6L×3-8 pcs)

Optional accessories

- 1.Socket cap screw (M16×80L×3-7 pcs)
- 2.T-Nut (M16×3-7 pcs)



MV-7272P



Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M(Optional)	N(Standard)	MV-7272P	N.W.	REMARK
40407230	MV-7272P-300	300	72	50	100	113	18	131	0-25	72	72	M16×80L×3	M16×50L×4	3 Pcs	18	
40407240	MV-7272P-400	400	72	50	100	113	18	131	0-25	72	72	M16×80L×4	M16×50L×4	4 Pcs	24	
40407250	MV-7272P-500	500	72	50	100	113	18	131	0-25	72	72	M16×80L×5	M16×50L×4	5 Pcs	30	
40407260	MV-7272P-600	600	72	50	100	113	18	131	0-25	72	72	M16×80L×6	M16×50L×4	6 Pcs	36	
40407270	MV-7272P-700	700	72	50	100	113	18	131	0-25	72	72	M16×80L×7	M16×50L×4	7 Pcs	42	
40507230	MV-7272PS-300	300	72	50	100	113	18	131	0-50	72	72	M16×80L×3	M16×50L×4	3 Pcs	16.6	
40507240	MV-7272PS-400	400	72	50	100	113	18	131	0-50	72	72	M16×80L×4	M16×50L×4	4 Pcs	22.2	
40507250	MV-7272PS-500	500	72	50	100	113	18	131	0-50	72	72	M16×80L×5	M16×50L×4	5 Pcs	27.8	
40507260	MV-7272PS-600	600	72	50	100	113	18	131	0-50	72	72	M16×80L×6	M16×50L×4	6 Pcs	33.2	
40507270	MV-7272PS-700	700	72	50	100	113	18	131	0-50	72	72	M16×80L×7	M16×50L×4	7 Pcs	38.8	



SAFEWAY






Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

72100P

MODEL ● 40607230 MV-72100P-300
 ● 40607240 MV-72100P-400
 ● 40607250 MV-72100P-500
 ● 40607260 MV-72100P-600
 ● 40607270 MV-72100P-700

MODEL ● 40707230 MV-72100PS-300
 ● 40707240 MV-72100PS-400
 ● 40707250 MV-72100PS-500
 ● 40707260 MV-72100PS-600
 ● 40707270 MV-72100PS-700



標準附件

1. 虎鉗滑座×2-5座 (MV-72100P)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵 18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔 (ST-05)(M5×6L×2-5支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7只)

Standard accessories

1. Yes Vise×2-5 pcs (MV-72100P)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
7. Stopper (ST-05)(M5×6L×2-5 pcs)

Optional accessories

1. T-Nut (M16×3-7 pcs)
2. Socket cap screw (M16×80L×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M (Optional)	N (Standard)	MV-72100P	N.W.	REMARK
40607230	MV-72100P-300	300	72	50	100	113	18	131	0-52	72	100	M16×80L×3	M16×50L×4	2 Pcs	17	
40607240	MV-72100P-400	400	72	50	100	113	18	131	0-52	72	100	M16×80L×4	M16×50L×4	3 Pcs	23	
40607250	MV-72100P-500	500	72	50	100	113	18	131	0-52	72	100	M16×80L×5	M16×50L×4	4 Pcs	28.5	
40607260	MV-72100P-600	600	72	50	100	113	18	131	0-52	72	100	M16×80L×6	M16×50L×4	4 Pcs	33.5	
40607270	MV-72100P-700	700	72	50	100	113	18	131	0-52	72	100	M16×80L×7	M16×50L×4	5 Pcs	39.6	
40707230	MV-72100PS-300	300	72	50	100	113	18	131	0-78	72	100	M16×80L×3	M16×50L×4	2 Pcs	15.6	
40707240	MV-72100PS-400	400	72	50	100	113	18	131	0-78	72	100	M16×80L×4	M16×50L×4	3 Pcs	21.7	
40707250	MV-72100PS-500	500	72	50	100	113	18	131	0-78	72	100	M16×80L×5	M16×50L×4	4 Pcs	27.8	
40707260	MV-72100PS-600	600	72	50	100	113	18	131	0-78	72	100	M16×80L×6	M16×50L×4	4 Pcs	31.2	
40707270	MV-72100PS-700	700	72	50	100	113	18	131	0-78	72	100	M16×80L×7	M16×50L×4	5 Pcs	37.3	



SAFEWAY






Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE






60100C

- MODEL
- 41010030 MV-60100C-300
 - 41010040 MV-60100C-400
 - 41010050 MV-60100C-500
 - 41010060 MV-60100C-600
 - 41010070 MV-60100C-700

- MODEL
- 41110030 MV-60100CS-300
 - 41110040 MV-60100CS-400
 - 41110050 MV-60100CS-500
 - 41110060 MV-60100CS-600
 - 41110070 MV-60100CS-700



MV-60100CS



標準附件

- 1.虎鉗滑座×4-8座 (MV-60100C)
- 2.把手 6mm×1支 (HA-6)
- 3.導正鍵18mm×2只 (M6×10L×2支)
- 4.壓塊×4只 (M16×50L×4支)
- 5.手輪 (HA-50)
- 6.停止檔 (ST-05) (M5×6L×4-8支)

特殊附件

- 1.固定螺絲 (M16×80L×3-7支)
- 2.T型螺帽 (M16×3-7只)

Standard accessories

- 1.Yes Vise×4-8 pcs (MV-60100C)
- 2.Handle×1 pc (HA-6)
- 3.Guide Key×18mm×2 pcs (M6×10L×2 pcs)
- 4.Vise locked block×4 pcs (M16×50L×4 pcs)
- 5.Wheel handle×1 pc (HA-50)
- 6.Stopper (ST-05) (M5×6L×4-8 pcs)

Optional accessories

- 1.Socket cap screw (M16×80L×3-7 pcs)
- 2.T-Nut (M16×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M(Optional)	N(Standard)	MV-60100C	N.W.	REMARK
41010030	MV-60100C-300	300	100	50	100	113	18	131	0-52	60	100	M16×80L×3	M16×50L×4	4 Pcs	25.5	
41010040	MV-60100C-400	400	100	50	100	113	18	131	0-52	60	100	M16×80L×4	M16×50L×4	5 Pcs	33	
41010050	MV-60100C-500	500	100	50	100	113	18	131	0-52	60	100	M16×80L×5	M16×50L×4	6 Pcs	41	
41010060	MV-60100C-600	600	100	50	100	113	18	131	0-52	60	100	M16×80L×6	M16×50L×4	7 Pcs	49.5	
41010070	MV-60100C-700	700	100	50	100	113	18	131	0-52	60	100	M16×80L×7	M16×50L×4	8 Pcs	55.1	
41110030	MV-60100CS-300	300	100	50	100	113	18	131	0-78	60	100	M16×80L×3	M16×50L×4	4 Pcs	18.8	
41110040	MV-60100CS-400	400	100	50	100	113	18	131	0-78	60	100	M16×80L×4	M16×50L×4	5 Pcs	24.5	
41110050	MV-60100CS-500	500	100	50	100	113	18	131	0-78	60	100	M16×80L×5	M16×50L×4	6 Pcs	41	
41110060	MV-60100CS-600	600	100	50	100	113	18	131	0-78	60	100	M16×80L×6	M16×50L×4	7 Pcs	35.6	
41110070	MV-60100CS-700	700	100	50	100	113	18	131	0-78	60	100	M16×80L×7	M16×50L×4	8 Pcs	41.2	



SAFEWAY











Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

72100C

- MODEL
- 41210030 MV-72100C-300
 - 41210040 MV-72100C-400
 - 41210050 MV-72100C-500
 - 41210060 MV-72100C-600
 - 41210070 MV-72100C-700

- MODEL
- 41310030 MV-72100CS-300
 - 41310040 MV-72100CS-400
 - 41310050 MV-72100CS-500
 - 41310060 MV-72100CS-600
 - 41310070 MV-72100CS-700



標準附件

1. 虎鉗滑座×3-8座 (MV-72100C)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔(ST-05)(M5×6L×3-8支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7只)

Standard accessories

1. Yes Vise×3-8 pcs (MV-72100C)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
6. Stopper (ST-05)(M5×6L×3-8 pcs)

Optional accessories

1. Socket cap screw (M16×80L×3-7 pcs)
2. T-Nut (M16×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M (Optional)	N (Standard)	MV-72100C	N.W.	REMARK
41210030	MV-72100C-300	300	100	50	100	113	18	131	0-52	72	100	M16×80L×3	M16×50L×4	3 Pcs	18.2	
41210040	MV-72100C-400	400	100	50	100	113	18	131	0-52	72	100	M16×80L×4	M16×50L×4	4 Pcs	33	
41210050	MV-72100C-500	500	100	50	100	113	18	131	0-52	72	100	M16×80L×5	M16×50L×4	6 Pcs	44	
41210060	MV-72100C-600	600	100	50	100	113	18	131	0-52	72	100	M16×80L×6	M16×50L×4	7 Pcs	52	
41210070	MV-72100C-700	700	100	50	100	113	18	131	0-52	72	100	M16×80L×7	M16×50L×4	8 Pcs	60	
41310030	MV-72100CS-300	300	100	50	100	113	18	131	0-78	72	100	M16×80L×3	M16×50L×4	3 Pcs	18.2	
41310040	MV-72100CS-400	400	100	50	100	113	18	131	0-78	72	100	M16×80L×4	M16×50L×4	4 Pcs	24.3	
41310050	MV-72100CS-500	500	100	50	100	113	18	131	0-78	72	100	M16×80L×5	M16×50L×4	6 Pcs	32.9	
41310060	MV-72100CS-600	600	100	50	100	113	18	131	0-78	72	100	M16×80L×6	M16×50L×4	7 Pcs	38.8	
41310070	MV-72100CS-700	700	100	50	100	113	18	131	0-78	72	100	M16×80L×7	M16×50L×4	8 Pcs	44.9	



SAFEWAY











Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

100100C

MODEL ● 41410030 MV-100100C-300
 ● 41410040 MV-100100C-400
 ● 41410050 MV-100100C-500
 ● 41410060 MV-100100C-600
 ● 41410070 MV-100100C-700

MODEL ● 41510030 MV-100100CS-300
 ● 41510040 MV-100100CS-400
 ● 41510050 MV-100100CS-500
 ● 41510060 MV-100100CS-600
 ● 41510070 MV-100100CS-700



標準附件

1. 虎鉗滑座×2-6座 (MV-100100C)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔 (ST-05) (M5×6L×2-6支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7只)

Standard accessories

1. Yes Vise×2-6 pcs (MV-100100C)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
6. Stopper (ST-05)(M5×6L×2-6 pcs)

Optional accessories

1. Socket cap screw (M16×80L×3-7 pcs)
2. T-Nut (M16×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M(Optional)	N(Standard)	MV-100100C	N.W.	REMARK
41410030	MV-100100C-300	300	100	50	100	113	18	131	0-50	100	100	M16×80L×3	M16×50L×4	2 Pcs	24	
41410040	MV-100100C-400	400	100	50	100	113	18	131	0-50	100	100	M16×80L×4	M16×50L×4	3 Pcs	33	
41410050	MV-100100C-500	500	100	50	100	113	18	131	0-50	100	100	M16×80L×5	M16×50L×4	4 Pcs	43	
41410060	MV-100100C-600	600	100	50	100	113	18	131	0-50	100	100	M16×80L×6	M16×50L×4	5 Pcs	52	
41410070	MV-100100C-700	700	100	50	100	113	18	131	0-50	100	100	M16×80L×7	M16×50L×4	6 Pcs	61	
41510030	MV-100100CS-300	300	100	50	100	113	18	131	0-75	100	100	M16×80L×3	M16×50L×4	2 Pcs	22.3	
41510040	MV-100100CS-400	400	100	50	100	113	18	131	0-75	100	100	M16×80L×4	M16×50L×4	3 Pcs	30.8	
41510050	MV-100100CS-500	500	100	50	100	113	18	131	0-75	100	100	M16×80L×5	M16×50L×4	4 Pcs	39.6	
41510060	MV-100100CS-600	600	100	50	100	113	18	131	0-75	100	100	M16×80L×6	M16×50L×4	5 Pcs	47.9	
41510070	MV-100100CS-700	700	100	50	100	113	18	131	0-75	100	100	M16×80L×7	M16×50L×4	6 Pcs	56.0	



SAFEWAY






Yes vise

彈性化並列式虎鉗 FLEXIBLE YES VISE

100100P

MODEL ● 41610030 MV-100100P-300
 ● 41610040 MV-100100P-400
 ● 41610050 MV-100100P-500
 ● 41610060 MV-100100P-600
 ● 41610070 MV-100100P-700

MODEL ● 41710030 MV-100100PS-300
 ● 41710040 MV-100100PS-400
 ● 41710050 MV-100100PS-500
 ● 41710060 MV-100100PS-600
 ● 41710070 MV-100100PS-700



標準附件

1. 虎鉗滑座×2-5座 (MV-100100P)
2. 把手 6mm×1支 (HA-6)
3. 導正鍵18mm×2只 (M6×10L×2支)
4. 壓塊×4只 (M16×50L×4支)
5. 手輪 (HA-50)
6. 停止檔 (ST-05) (M5×6L×2-5支)

特殊附件

1. 固定螺絲 (M16×80L×3-7支)
2. T型螺帽 (M16×3-7只)

Standard accessories

1. Yes Vise×2-5 pcs (MV-100100P)
2. Handle×1 pc (HA-6)
3. Guide Key×18mm×2 pcs (M6×10L×2 pcs)
4. Vise locked block×4 pcs (M16×50L×4 pcs)
5. Wheel handle×1 pc (HA-50)
6. Stopper (ST-05)(M5×6L×2-5 pcs)

Optional accessories

1. Socket cap screw (M16×80L×3-7 pcs)
2. T-Nut (M16×3-7 pcs)

Unit: mm

ORDER NO.	MODEL	A	B	C	D	E	F	H	J	K	L	M (Optional)	N (Standard)	MV-100100P	N.W.	REMARK
41610030	MV-100100P-300	300	100	50	100	113	18	131	0-50	100	100	M16×80L×3	M16×50L×4	2 Pcs	24	
41610040	MV-100100P-400	400	100	50	100	113	18	131	0-50	100	100	M16×80L×4	M16×50L×4	3 Pcs	33.5	
41610050	MV-100100P-500	500	100	50	100	113	18	131	0-50	100	100	M16×80L×5	M16×50L×4	4 Pcs	43	
41610060	MV-100100P-600	600	100	50	100	113	18	131	0-50	100	100	M16×80L×6	M16×50L×4	4 Pcs	47.9	
41610070	MV-100100P-700	700	100	50	100	113	18	131	0-50	100	100	M16×80L×7	M16×50L×4	5 Pcs	57	
41710030	MV-100100PS-300	300	100	50	100	113	18	131	0-78	100	100	M16×80L×3	M16×50L×4	2 Pcs	22.3	
41710040	MV-100100PS-400	400	100	50	100	113	18	131	0-78	100	100	M16×80L×4	M16×50L×4	3 Pcs	30.8	
41710050	MV-100100PS-500	500	100	50	100	113	18	131	0-78	100	100	M16×80L×5	M16×50L×4	4 Pcs	39.6	
41710060	MV-100100PS-600	600	100	50	100	113	18	131	0-78	100	100	M16×80L×6	M16×50L×4	4 Pcs	47.9	
41710070	MV-100100PS-700	700	100	50	100	113	18	131	0-78	100	100	M16×80L×7	M16×50L×4	5 Pcs	56.0	